

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	143	((wire contact) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision)) same substrate same (peel\$3 crack\$3 detach\$3 tear\$3 shed\$3)	EPO; JPO; DERWENT	OR	ON	2005/02/20 15:42
L2	341	((wire contact) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision)) same substrate same (peel\$3 crack\$3 detach\$3 tear\$3 shed\$3)	US-PGPUB; USPAT	OR	ON	2005/02/20 15:58
L3	34	((wire contact) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision)) same substrate same (peel\$3 crack\$3 detach\$3 tear\$3 shed\$3) and ("313"/\$.ccls. "29"/\$.ccls. "439"/\$.ccls. "445"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/02/20 16:00
L5	0	"20000024999"	EPO; JPO; DERWENT	OR	ON	2005/02/20 18:29
L6	3	"2000024999"	EPO; JPO; DERWENT	OR	ON	2005/02/20 18:30
L7	2	"6335567"	US-PGPUB; USPAT	OR	ON	2005/02/20 18:30
L8	7	("4184909" "5609775" "5616519" "5747380" "5937324" "5972789" "6114253").PN. OR ("6335567").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/20 18:33
L9	9	("4184909" "5502337" "5609775" "5616519" "5747380" "5937324" "5972789" "6114254" "6309956").PN. OR ("6555462").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/20 18:52
L10	5	"895288" "05038874" "08034110" "08315723"	US-PGPUB; USPAT	OR	ON	2005/02/20 18:52
L11	10	"895288" "05038874" "08034110" "08315723"	EPO; JPO; DERWENT	OR	ON	2005/02/20 18:53
S1	1	"6621207".pn.	US-PGPUB; USPAT	OR	OFF	2005/02/20 16:34
S2	3	("5839363" "5905335").PN. OR ("6621207").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/19 20:01
S3	446	(wiring with (recess\$3 indentation opening indent\$3 notch\$4 depression incision) with (edge end periphery peripheral)) same substrate	US-PGPUB; USPAT	OR	OFF	2005/02/19 20:05

S4	24	((wiring with (recess\$3 indentation opening indent\$3 notch\$4 depression incision) with (edge end periphery peripheral)) same substrate) and ("313"/\$.ccls. "439"/\$.ccls.)	US-PGPUB; USPAT	OR	OFF	2005/02/19 20:16
S5	6	"05038874" "08034110" "08315723"	EPO; JPO; DERWENT	OR	OFF	2005/02/19 20:15
S6	446	((wiring with (recess\$3 indentation opening indent\$3 notch\$4 depression incision) with (edge end periphery peripheral)) same substrate)	US-PGPUB; USPAT	OR	OFF	2005/02/19 20:17
S7	168	((wiring with (recess\$3 indentation indent\$3 notch\$4 depression incision) with (edge end periphery peripheral)) same substrate)	US-PGPUB; USPAT	OR	OFF	2005/02/19 20:22
S8	184	((wiring with (recess\$3 indentation indent\$3 notch\$4 depression incision) with (edge end periphery peripheral)) same substrate)	EPO; JPO; DERWENT	OR	OFF	2005/02/19 20:55
S9	13	((contact wire) near3 (pad trace)) with (recess\$3 indentation indent\$3 notch\$4 depression incision) with (edge end periphery peripheral)) same substrate	EPO; JPO; DERWENT	OR	OFF	2005/02/19 20:58
S10	37	((contact wire) near3 (pad trace)) with (recess\$3 indentation indent\$3 notch\$4 depression incision) with (edge end periphery peripheral)) same substrate	US-PGPUB; USPAT	OR	OFF	2005/02/19 20:59
S11	63	((contact wire) near3 (pad trace)) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate	US-PGPUB; USPAT	OR	OFF	2005/02/19 21:00
S12	169	((contact wire) near3 (pad trace)) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate	US-PGPUB; USPAT	OR	ON	2005/02/19 21:08
S13	863	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate	US-PGPUB; USPAT	OR	ON	2005/02/19 21:10
S14	495	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate)	EPO; JPO; DERWENT	OR	ON	2005/02/19 21:08

S15	685	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate) and (display device panel)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:12
S16	370	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate) and electrode and (display device panel)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:09
S17	382	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate) and (cathode anode electrode) and (display device panel)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:09
S18	208	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate) and (313/4.ccls. "439"/\$.ccls. "29"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:10
S19	225	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate) and ("313"/\$.ccls. "439"/\$.ccls. "29"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:11
S20	160	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate) and (peel\$3 detach\$3 tear\$3 shed\$3)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:13
S21	1196625	((terminal) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate same (peel\$3 detach\$3 tear\$3 shed\$3)"0"	US-PGPUB; USPAT	OR	ON	2005/02/19 21:14
S22	3	(terminal with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision) with (edge end periphery peripheral)) same substrate same (peel\$3 detach\$3 tear\$3 shed\$3)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:15

S23	22	((wiring lead pad) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision)) with (edge end periphery peripheral)) same substrate same (peel\$3 detach\$3 tear\$3 shed\$3)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:19
S24	251	((wiring lead pad) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision)) same substrate same (peel\$3 crack\$3 detach\$3 tear\$3 shed\$3)	US-PGPUB; USPAT	OR	ON	2005/02/19 21:33
S25	132	((wiring lead pad) with (recess\$3 indentation dimple cut indent\$3 nook cavity notch\$4 depression dent pit incision)) same substrate same (peel\$3 crack\$3 detach\$3 tear\$3 shed\$3)	EPO; JPO; DERWENT	OR	ON	2005/02/20 15:40
S26	1	"6621207"	EPO; JPO; DERWENT	OR	ON	2005/02/19 21:43
S27	1	2002-530607.NRAN.	DERWENT	OR	OFF	2005/02/19 21:43